










# REPLACEMENT REMOTE CONTROL SELECTION GUIDE

These replacement options represent the current “best choice” (for product compatibility and providing the latest device database). Business considerations may require other alternatives; for product compatibility purposes, ETC must approve any such alternates.

☐ Red box indicates key(s) to use.

Receiver (by model number, in numerical order) & Original Remote Images		Replacement Remote & Finished Goods (FG)* Part Number
<p><b>111</b></p> 	<p><b>1.5 Non-Database</b></p> 	<p><b>#120714*</b> <b>1.5 Non-Database</b></p> 
<p><b>211 &amp; 411</b></p> 	<p><b>5.3</b></p> 	<p><b>#142739</b> <b>5.3</b></p> 
<p><b>301 &amp; 311</b></p> 	<p><b>301: 1.5</b>      <b>311: 3.1 or 3.2</b></p> 	<p><b>#142923</b> <b>3.2</b></p> 

\* Service part numbers are used when FG part numbers are not available.

Downloaded from <http://www.satelliteguys.us>

Contents subject to change without notice.















EchoStar Technologies Corporation

Rev. 3/6/2006

Page 1 of 7











**REPLACEMENT REMOTE CONTROL SELECTION GUIDE (continued)**

 Red box indicates key(s) to use.

<b>Receiver</b> <i>(by model number, in numerical order)</i> <b>&amp; Original Remote Images</b>	<b>Replacement Remote &amp; Finished Goods (FG) Part Number</b>
<p><b>322</b></p>  <p><b>3.0</b></p>  <p><b>4.0</b></p> 	<p><b>#128579</b> <b>4.0</b></p>  <p>Two keys, two sides</p>  <p>†TV1 UHF Pro key can be used to operate TV1 from a distance.</p>
<p><b>501, 508, 510</b></p>  <p><b>Platinum</b></p> 	<p><b>#135899</b> <b>6.2 Kit</b></p>  <p>Four keys, two sides</p>  <p>Use any key with the UHF logo</p>
<p><b>522, 625</b></p>  <p><b>5.0</b></p>  <p><b>6.0</b></p> 	<p><b>#135899</b> <b>6.2 Kit</b></p>  <p>Four keys, two sides</p>  <p>†TV1 UHF Pro key can be used to operate TV1 from a distance.</p>

# REPLACEMENT REMOTE CONTROL SELECTION GUIDE *(continued)*

  Red box indicates key(s) to use.

Receiver (by model number, in numerical order) & Original Remote Images	Replacement Remote & Finished Goods (FG) Part Number
<p style="text-align: center;"><b>622</b></p>  <p style="text-align: center;"><b>5.3</b></p>  <p style="text-align: center;"><b>6.3</b></p> 	<p style="text-align: center;"><b>#144552</b> <b>6.3 Kit</b></p>  <p style="text-align: center;">Two keys, two sides</p> <p style="text-align: center;">†TV1 UHF Pro key can be used to operate TV1 from a distance.</p>
<p style="text-align: center;"><b>721</b></p>  <p style="text-align: center;"><b>Platinum Plus</b></p> 	<p style="text-align: center;"><b>#135899</b> <b>6.2 Kit</b></p>  <p style="text-align: center;">Four keys, two sides</p> <p style="text-align: center;">Use any key with the UHF logo</p>
<p style="text-align: center;"><b>811</b></p>  <p style="text-align: center;"><b>8.0</b></p> 	<p style="text-align: center;"><b>#135899</b> <b>6.2 Kit</b></p>  <p style="text-align: center;">Four keys, two sides</p>

Downloaded from <http://www.satelliteguys.us>





























Contents subject to change without notice.  
EchoStar Technologies Corporation  
Rev. 3/6/2006  
Page 3 of 7



# REPLACEMENT REMOTE CONTROL SELECTION GUIDE *(continued)*

  Red box indicates key(s) to use.

<b>Receiver</b> <i>(by model number, in numerical order)</i> <b>&amp; Original Remote Images</b>	<b>Replacement Remote &amp; Finished Goods (FG)* Part Number</b>
<p style="text-align: center;"><b>921</b></p>  <p style="text-align: center;"><b>8.0</b></p> 	<p style="text-align: center;"><b>#135899</b> <b>6.2 Kit</b></p>  <p style="text-align: center;"><i>Four keys, two sides</i></p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  TV1 IR         </div> <div style="text-align: center;">  TV1 UHF Pro         </div> </div> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  TV1 UHF Pro         </div> <div style="text-align: center;">  IR/UHF         </div> </div> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  TV2 UHF Pro         </div> <div style="text-align: center;">  IR/UHF         </div> </div> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  UHF Pro         </div> <div style="text-align: center;">  IR/UHF         </div> </div>
<p style="text-align: center;"><b>942</b></p>  <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p><b>5.2</b></p>  </div> <div style="text-align: center;"> <p><b>6.2</b></p>  </div> </div>	<p style="text-align: center;"><b>#135899</b> <b>6.2 Kit</b></p>  <p style="text-align: center;"><i>Four keys, two sides</i></p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  TV1 IR         </div> <div style="text-align: center;">  TV1 UHF Pro         </div> </div> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  TV1 UHF Pro         </div> <div style="text-align: center;">  IR/UHF         </div> </div> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  TV2 UHF Pro         </div> <div style="text-align: center;">  IR/UHF         </div> </div> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  UHF Pro         </div> <div style="text-align: center;">  IR/UHF         </div> </div> <p style="text-align: center;">†TV1 UHF Pro key can be used to operate TV1 from a distance.</p>
<p style="text-align: center;"><b>1000</b></p>  <p style="text-align: center;"><b>1.0</b></p> 	<p style="text-align: center;"><b>#120714*</b> <b>1.5 Non-Database</b></p> 

\* Service part numbers are used when FG part numbers are not available.

Downloaded from <http://www.satelliteguys.us>

Contents subject to change without notice.










EchoStar Technologies Corporation

Rev. 3/6/2006

Page 4 of 7












## REPLACEMENT REMOTE CONTROL SELECTION GUIDE *(continued)*

<b>Receiver</b> <i>(by model number, in numerical order)</i> <b>&amp; Original Remote Images</b>	<b>Replacement Remote &amp; Finished Goods (FG)* Part Number</b>
<p style="text-align: center;"><b>2000</b></p>  <p style="text-align: center;"><b>1.0</b></p> 	<p style="text-align: center;"><b>#120415</b> <b>1.5 UHF</b></p> 
<p style="text-align: center;"><b>2700, 2800</b></p>  <p style="text-align: center;"><b>1.5</b> <b>Non-Database</b></p> 	<p style="text-align: center;"><b>#120714*</b> <b>1.5 Non-Database</b></p> 
<p style="text-align: center;"><b>3000</b></p>  <p style="text-align: center;"><b>1.0</b></p> 	<p style="text-align: center;"><b>#142923</b> <b>3.2</b></p> 

\* Service part numbers are used when FG part numbers are not available.



## REPLACEMENT REMOTE CONTROL SELECTION GUIDE *(continued)*

<b>Receiver</b> <i>(by model number, in numerical order)</i> <b>&amp; Original Remote Images</b>	<b>Replacement Remote &amp; Finished Goods (FG) Part Number</b>
<p style="text-align: center;"><b>3900</b></p>  <p style="text-align: center;"><b>1.5</b></p> 	<p style="text-align: center;"><b>#142923</b> <b>3.2</b></p> 
<p style="text-align: center;"><b>4000</b></p>  <p style="text-align: center;"><b>1.0</b></p> 	<p style="text-align: center;"><b>#120415</b> <b>1.5 UHF</b></p> 
<p style="text-align: center;"><b>4900</b></p>  <p style="text-align: center;"><b>1.5</b></p> 	<p style="text-align: center;"><b>#120415</b> <b>1.5 UHF</b></p> 







Downloaded from <http://www.satelliteguys.us>



Contents subject to change without notice.  
 EchoStar Technologies Corporation  
 Rev. 3/6/2006  
 Page 6 of 7



## REPLACEMENT REMOTE CONTROL SELECTION GUIDE *(continued)*

Receiver (by model number, in numerical order) & Original Remote Images		Replacement Remote & Finished Goods (FG)* Part Number
<p><b>5000</b></p>  <p><b>1.0</b></p> 		<p><b>#120415</b> <b>1.5 UHF</b></p> 
<p><b>6000</b></p>  <p><b>1.5</b></p> 		<p><b>#120725*</b> <b>1.5 UHF - HD</b></p> 

\* Service part numbers are used when FG part numbers are not available.

## Replacement Remote Feature Comparison

	1.5 Non- Database	1.5 UHF	3.2	4.0	5.3	6.2 Kit	6.3 Kit
<b>4-Component Universal</b>		<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>
<b>DISH Home Button</b>			<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>
<b>Recover</b>			<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>
<b>Unique TV Power</b>			<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>
<b>DVR/PIP</b>					<b>X</b>	<b>X</b>	<b>X</b>
<b>Configurable Keys</b>				<b>X</b>		<b>X</b>	<b>X</b>
<b>Easy Limited Mode</b>						<b>X</b>	<b>X</b>
<b>Program 2nd SAT in AUX</b>						<b>X</b>	<b>X</b>
<b>Internal Band A/B Switch</b>						<b>X</b>	<b>X</b>
<b>UHF-Capable</b>		<b>X</b>				<b>X</b>	<b>X</b>
<b>UHF Pro-Capable</b>				<b>X</b>		<b>X</b>	<b>X</b>

Downloaded from <http://www.satelliteguys.us>



Contents subject to change without notice.  
EchoStar Technologies Corporation  
Rev. 3/6/2006  
Page 7 of 7

